-	_
0/20/00	š
_=	5
~	3
⋷	,
	-

City

Country

Signature

Name (Print/Type)

Please type a plus sign (+) inside this box Under the Paperwork Reduction Act of 1995, no persons are required to response.	U.S. Patent and Trademark	PTO/SB/05 (08-5) for use through 10/31/2002. OMB 0651-005 Office; U.S. DEPARTMENT OF COMMERC unless it displays a valid OMB control numb			
UTILITY PATENT APPLICATION TRANSMITTAL	Attorney Docket No. NPA064US First Inventor KIA SILVERBROOK METHOD AND SYSTEM FOR PROVIDING Title INSURANCE SERVICES				
(Only for new nonprovisional applications under 37 CFR 1.53(b)) APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231				
Fee Transmittal Form (e.g., PTO\SB/17) Cabular configing and explores for Expression(s) Applicant claims amail entity status. See 37 CFR 1.27. S. Cabular claims amail entity status. Total Pages 35 Creative temperature at front including the properties of the properties of the configuration of the invention Cross Reference to Related Applications Statement Regarding Fed appropriate R & D Reference to sequence Issing, a table, Packground of the Invention Packground of the Invention Packground of the Invention	Computer Pro 8. Nucleotide and/or Am (If applicable, all nece a. Computer Re b. Specification Sequ i. CD-ROM	eadable Form (CRF)			
Brief Summary of the Invention Brief Description of the Drawings (If filed) Detailed Description Claim(s) Abstract of the Disclosure Value of the Disclosure Value of the Disclosure Value of the Disclosure Value of the Disclosure	9. X Assignment F 10. 37 CFR 3.73 (when there is	NG APPLICATION PARTS Papers (cover sheet & document(s))			
Oath or Declaration	13. Preliminary A 14. Return Recei (Should be sp	DS)/PTO-1449			
6. Application Data Sheet. See 37 CFR 1.76 7. If a CONTINUING APPLICATION, check appropriate box, and support in an Application Data Sheet under 37 CFR 1.76: Continueum Divisional Continuation-in-pert (CIP) Prior application information: **Examiner** **Examiner*	ly the requisite information by of prior application No.:_ Group / Art Unit:				
For CONTINUATION OR DIVISIONAL APPS only. The entire disasterur of the Box 5b. is considered a pair of the disclosure of the ecompanying count to the incorporation can only be relied upon when a portion has been inadvert	e prior application, from which ation or divisional application s ently omitted from the submitte NCE ADDRESS	and is hereby incorporated by reference. ed application parts.			
Name KIA SILVERBROOK		Correspondence address balow			
393 Darling Street,					

adroin flow Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Civil Information Officer, U.S. Patent and Trademark Office, Washington, DC 2021, DO ANY SEAD FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application. Washington, DC 20231

State

Telephone

NSW

+61-2-9818-6633

Registration No. (Attorney/Agent)

Zip Code

Date

2041

October 18, 2000

+61-2-9819-6711

Balmain

Australia

KIA SILVERBROOK

Signature

Under the Paperwork Reduction Act of 1995, no persons are require	red to r	U.S. I	Patent	and Trade	roved for use throug mark Office; U.S. Di	h 10/31/2002. (E COMMEDCE
/	Committee W. Kronner						
│ FEE TRANSMITTA	Application Number						
for FY 2001		Filing Date				•	
TOF FY 2001	First Named Inventor Kia Silverbrook		ok				
Patent fees are subject to annual revision.		Examiner N					
Talent ress are subject to united revision.		Group Art I	-				
TOTAL AMOUNT OF PAYMENT (\$) 771		Attorney Docket No. NPA064US					
METHOD OF PAYMENT	FEE CALCULATION (continued)						
The Commissioner is hereby authorized to charge	3. A	DDITIONA			OLATION (COIL	unded/	
Indicated fees and credit any overpayments to: Deposit	Large Entity Small Entity						
Account Number	Cod	le (\$) Code	(\$)		Fee Description		Fee Paid
Deposit	105	130 205	65	Surcharge	- late filing fee or oa	th	
Account Name	127	127 50 227 25 Surcharge - late provisional filing fee or cover sheet					
Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17	139	139 130 139 130 Non-English specification					
Applicant claims small entry status.	147	147 2,520 147 2,520 For filing a request for ex parte reexamination					
See 37 CFR 1.27	112						
2. X Payment Enclosed: X Check Credit card Money Other	113	Examiner action 113 1,840* 113 1,840* Requesting publication of SIR after					
Order D State	115	Examiner action 115 110 215 55 Extension for reply within first month					
FEE CALCULATION	116 390 216 195 Extension for reply within second month						
1. BASIC FILING FEE Large Entity Small Entity	117 890 217 445 Extension for reply within third month						
Fee Fee Fee Fee Description	118	1,390 218 6			for reply within fourth		
Code (\$) Code (\$) Fee Paid 101 710 201 355 Utility filing fee 355	128 1.890 228 945 Extension for reply within fifth month						
101 710 201 355 Utility filing fee 355 106 320 206 160 Design filing fee	119 310 219 155 Notice of Appeal						
107 490 207 245 Plant filing fee	120	120 310 220 155 Filling a brief in support of an appeal					
108 710 208 355 Reissue filing fee	121						
114 150 214 75 Provisional filing fee		38 1,510 138 1,510 Petition to institute a public use proceeding					
SUBTOTAL (1) (\$) 355	140	TO THE ETE OF T CARON IS ICANO - UNINVOICED					
2. EXTRA CLAIM FEES		41 1,240 241 620 Petition to revive - unintentional					
Fee from	143	142 1,240 242 620 Utility issue fee (or reissue) 143 440 243 220 Design issue fee					
Total Claims 44 -20** = 24 × 9 = 216	144			Plant issue			
Independent 5 - 3** = 3 × 40 = 80	122	130 122 1	130 F	etitions to	the Commissioner		
Multiple Dependent	123	50 123	50 F	Petitions re	lated to provisional a	pplications	
	126	240 126 2	240 S	Submission	of Information Disc	osure Stmt	
Large Entity Small Entity Fee Fee Fee Fee Fee Fee Pescription Code (\$) Code (\$)	581	40 581 (⊕ 5	Recording or	each patent assignm mes number of prop	ent per	120
103 18 203 9 Claims in excess of 20	146	710 246 :	355 F	iling a sub	mission after final re		
102 80 202 40 Independent claims in excess of 3	149	710 249 3	(37 CFR § 1.129(a)) 249 355 For each additional invention to be				
104 270 204 135 Multiple dependent claim, if not paid				examined	(37 CFR § 1.129(b))		
109 80 209 40 ** Reissue independent claims over original patent	179	710 279	355 F	Request fo	r Continued Examina	ation (RCE)	
110 18 210 9 ** Reissue claims in excess of 20 and over original patent	169	900 169 9			r expedited examına n application	tion	
SUBTOTAL (2) (\$) 296	Other	fee (specify) _					
**or number previously paid, if greater; For Reissues, see above	Redu	ced by Basic Fi	iling Fe	e Paid	SUBTOTAL	(3) (\$)	120
SUBMITTED BY Complete (if applicable)							
Name (Printl Type) Kia Silverbrook, Registration No. (Attorney/Agent) Telephone +61-2-9818-6633						-6633	

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Date

October 18, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form about be sent to the Chief Information Officer, U.S. Patent and Timdemark Office, with within the Chief Information Officer, U.S. Patent and Timdemark Office, within the Chief Information Officer, U.S. Patent and Timdemark Office, within the Chief Information Officer, U.S. Patent and Timdemark Office, within the Chief Information Officer, U.S. Patent and Timdemark Officer, D.C. 2023. To World State Officer, U.S. Patent and Timdemark Officer, U.S. Patent and Timd



PTO/SR92 incomApproved for use through 9/30/00, OMB 0959-0979.

Patent and Tademark Office; U.S. DEFARTMENT OF COMMERCE
Under the Paperwork Reducton Act of 1995, no persons are required to respond to a collection of information unless it contains a valid ONB control inflation.

Docket No.: NPA064US

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Assistant Commissioner for Patents Washington, D.C. 20231

Date

Signature

MARGARET LEE

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Submitted herewith Utility Patent Application Transmittal and enclosures for an invention entitled "METHOD AND SYSTEM FOR PROVIDING INSURANCE SERVICES".

Express Mail Label: EJ776401705US

October 20, 2000

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

METHOD AND SYSTEM FOR PROVIDING INSURANCE SERVICES

FIELD OF INVENTION

The present invention relates generally to the provision of insurance services and more specifically to methods and systems for providing insurance services using distributed computing systems. It has specific application to the operation of a computer system involving a printed form-based user interface.

CO-PENDING APPLICATIONS

Various methods, systems and apparatus relating to the present invention are disclosed in the following co-pending applications filed by the applicant or assignee of the present invention simultaneously with the present invention:

NPA011US, NPA031US, NPA040US, NPA046US, NPA053US, NPA059US, NPA064US, NPB006US, NPS004US, NPS008US, NPS013US, NPS024US, NPC1. UP01US, UP02US, UP03US, UP04US, UP05US

15 The disclosures of these co-pending applications are incorporated herein by cross-reference. Each application is temporarily identified by its docket number. This will be replaced by the corresponding USSN when available.

Various methods, systems and apparatus relating to the present invention are disclosed in the following co-pending applications filed by the applicant or assignee of the present invention on 15 September 2000:

NPA024US, NPA025US, NPA047US, NPA049US

The disclosures of these co-pending applications are incorporated herein by crossreference. Each application is temporarily identified by its docket number. This will be replaced by the corresponding USSN when available.

Various methods, systems and apparatus relating to the present invention are disclosed in the following co-pending applications filed by the applicant or assignee of the present invention on 30 June 2000:

NPA014US, NPA015US, NPA022US, NPA026US, NPA038US, NPA041US, NPA050US, NPA051US, NPA052US, NPA063US, NPA065US, NPA067US, NPA068US, NPA069US, NPA071US, NPA072US, NPB003US, NPB004US, NPB005US, NPP019US, PEC04US, PEC05US, PEC06US, PEC07US

25

25

The disclosures of these co-pending applications are incorporated herein by crossreference. Each application is temporarily identified by its docket number. This will be replaced by the corresponding USSN when available.

Various methods, systems and apparatus relating to the present invention are 5 disclosed in the following co-pending applications filed by the applicant or assignee of the present invention on 23 May 2000:

```
NPA001US.
              NPA002US.
                        NPA004US,
                                   NPA005US, NPA006US, NPA007US,
   NPA008US.
              NPA009US.
                         NPA010US,
                                   NPA012US,
                                              NPA016US,
                                                        NPA017US,
   NPA018US, NPA019US, NPA020US,
                                   NPA021US, NPA030US,
                                                        NPA035US.
10 NPA048US, NPA075US, NPB001US,
                                   NPB002US,
                                              NPK002US, NPK003US,
   NPK004US, NPK005US, NPM001US,
                                   NPM002US, NPM003US, NPM004US,
    NPN001US,
              NPP001US,
                        NPP003US,
                                   NPP005US,
                                              NPP006US,
                                                        NPP007US,
   NPP008US,
              NPP016US,
                        NPP017US,
                                   NPP018US,
                                              NPS001US,
                                                         NPS003US,
   NPS020US,
              NPT001US.
                        NPT002US,
                                              NPT004US,
                                                        NPX001US,
                                   NPT003US,
15
   NPX003US, NPX008US, NPX011US,
                                   NPX014US, NPX016US,
                                                        IJ52US,
   IJM52US,
              MJ10US,
                         MJ11US,
                                   MJ12US,
                                              MJ13US,
                                                         MJ14US,
    MJ15US,
              MJ34US,
                         MJ47US.
                                   MJ58US.
                                              MJ62US.
                                                         MJ63US.
    PAK04US,
              PAK05US,
                         PAK06US,
                                   PAK07US,
                                              PAK08US,
                                                        PEC01US,
    PEC02US.
              PEC03US
```

The disclosures of these co-pending applications are incorporated herein by crossreference. Each application is temporarily identified by its docket number. This will be replaced by the corresponding USSN when available.

BACKGROUND

Traditionally, insurance services have been provided using written documentation. This documentation typically has included information brochures, written quotes, policies and other documentation to enable an insurance provider to enter a contractual arrangement with a customer.

In more recent times, insurance providers have made some of this

documentation available over networks such as the Internet and also insurance providers have made available options for paying policies electronically.

SUMMARY OF INVENTION

It is an objective of the present invention to provide a method and system for providing insurance services

35 In a first aspect, the present invention provides a method of providing insurance

20

services, the method including the steps of

printing on demand on a surface, a form containing information relating to an insurance service, and at the same time as printing the information, printing on the surface coded data indicative of an identity of the form and of at least one reference point of the form:

receiving, in a computer system, indicating data from a sensing device regarding the identity of the form and a position of the sensing device relative to the form, the sensing device, when placed in an operative position relative to the form, sensing the indicating data using at least some of the coded data; and

identifying, in the computer system and from the indicating data, at least one parameter relating to the insurance service.

In a second aspect, the present invention provides a method of providing insurance services, the method including the steps of

printing on demand on a surface, a form containing information relating to an

15 insurance service, and at the same time as printing the information, printing on the
surface coded data indicative of at least one parameter of the insurance service;

receiving, in a computer system, data from a sensing device regarding the at least one parameter and regarding movement of the sensing device relative to the form, the sensing device, when moved relative to the form, sensing the data regarding the at least one parameter using at least some of the coded data and generating the data regarding its own movement relative to the form; and

interpreting, in the computer system, the movement of the sensing device as it relates to the at least one parameter.

In a third aspect, the present invention provides a method of providing 25 insurance services, the method including the steps of

printing on demand on a surface, a form including coded data indicative of an identity of the form:

receiving, in a computer system, data from a sensing device regarding an identity of a customer and regarding the identity of the form, the sensing device

containing the data regarding the identity of the customer and sensing the data regarding the identity of the form using at least some of the coded data: and

identifying, in the computer system and from the data regarding the identity of the customer and the identity of the form, an insurance service.

5 In a fourth aspect, the present invention provides a system for providing insurance services, the system including

a form printed on the surface, the form containing information relating to an insurance service, the form including coded data indicative of an identity of the form and of at least one reference point of the form; and

10 a printer operative to print on demand the form by printing on the surface the information and at the same time the coded data; and

a computer system for receiving indicating data from a sensing device for identifying at least one parameter relating to the insurance service, the indicating data being indicative of the identity of the form and a position of the sensing device relative to the form, the sensing device sensing the indicating data using at least some of the coded data.

In a fifth aspect, the present invention provides a system for providing insurance services, the system including

a form printed on the surface, the form containing information relating to an 20 insurance service, the form including coded data indicative of at least one parameter of the insurance service;

a printer operative to print on demand the form by printing on the surface the information and at the same time the coded data; and

a computer system for receiving data from a sensing device, regarding the at 25 least one parameter and regarding movement of the sensing device relative to the form, and for interpreting the movement of the sensing device as it relates to the at least one parameter, the sensing device, when moved relative to the form, sensing the data regarding the at least one parameter using at least some of the coded data and generating the data regarding its own movement relative to the form.

In a sixth aspect, the present invention provides a system for providing insurance services, the system including

a form printed on the surface, the form including coded data indicative of an identity of the form; and

5 a printer operative to print on demand the form by printing on the surface, the coded data: and

a computer system for receiving from a sensing device, data regarding an identity of a customer and the identity of the form, and for identifying, from the received data, an insurance service, the sensing device containing the data regarding the identity

10 of the customer and sensing the data regarding the identity of the form using at least some of the coded data

Accordingly, the present invention provides a method and system which utilizes one or more forms capable of interacting with a computer system. Whilst the novel method and system of the present invention may be used in conjunction with a single computer system, in a particularly preferred form it is designed to operate over a computer network, such as the Internet.

BRIEF DESCRIPTION OF DRAWINGS

Preferred and other embodiments of the invention will now be described, by way of non-limiting example only, with reference to the accompanying drawings, in which:

Figure 1 is a schematic of a the relationship between a sample printed netpage and its online page description;

Figure 2 is a schematic view of a interaction between a netpage pen, a netpage printer, a netpage page server, and a netpage application server;

Figure 3 is a schematic view of a high-level structure of a printed netpage and its online page description;

Figure 4a is a plan view showing a structure of a netpage tag;

Figure 4b is a plan view showing a relationship between a set of the tags shown in Figure 4a and a field of view of a netpage sensing device in the form of a netpage pen;

Figure 5a is a plan view showing an alternative structure of a netpage tag;

Figure 5b is a plan view showing a relationship between a set of the tags shown in Figure 5a and a field of view of a netpage sensing device in the form of a netpage pen;

Figure 5c is a plan view showing an arrangement of nine of the tags shown in Figure 5a 5 where targets are shared between adjacent tags;

Figure 5d is a plan view showing the interleaving and rotation of the symbols of the four codewords of the tag shown in Figure 5a;

Figure 6 is a schematic view of a set of user interface flow document icons;

Figure 7 is a schematic view of a set of user interface page layout element icons;

10 Figure 8 is a schematic view of an insurance provider class diagram;

Figure 9 is a schematic view of a payment method of class diagram;

Figure 10 is a schematic view of a product type class diagram;

Figure 11 is a schematic view of an extra coverage item class diagram;

Figure 12 is a schematic view of a property feature class diagram:

15 Figure 13 is a schematic view of a dwelling use class diagram;

Figure 14 is a schematic view of a dwelling type class diagram;

Figure 15 is a schematic view of a house insurance policy class diagram;

Figure 16 is a schematic view of an insurance main page user interface flow;

Figure 17 is a schematic view of a policy access user interface flow;

20 Figure 18 is a schematic view of an insurance product user interface flow;

Figure 19 is a schematic view of a house insurance quote user interface flow;

Figure 20 is a schematic view of an insurance main page;

Figure 21 is a schematic view of an insurance product page;

Figure 22 is a schematic view of a product information page:

25 Figure 23 is a schematic view of policy details;

Figure 24 is a schematic view of a quote request - dwelling information;

Figure 25 is a schematic view of quote request - policy options;

Figure 26 is a schematic view of house insurance quote;

Figure 27 is a schematic view of an insurance purchase form; and

Figure 28 is a schematic view of a policy in receipt.

5 DETAILED DESCRIPTION OF PREFERRED AND OTHER EMBODIMENTS

Note: Memiet™ is a trademark of Silverbrook Research Ptv Ltd, Australia.

In the preferred embodiment, the invention is configured to work with the netpage networked computer system, a summary of which is given below and a detailed description of which is given in our earlier applications, including in particular those applications USSN 09/_____ (docket no. NPT002US), USSN 09/____ (docket no. NPS001US), USSN 09/____ (docket no. NPP003US) and USSN 09/____ (docket no. NPA002US). It will be appreciated that not every implementation will necessarily embody all or even most of the specific details and extensions described in these applications in relation to the basic system. However, the system is described in its most complete form to assist in understanding the context in which the preferred embodiments and aspects of the present invention operate.

In brief summary, the preferred form of the netpage system employs a computer interface in the form of a mapped surface, that is, a physical surface which contains references to a map of the surface maintained in a computer system. The map references can be queried by an appropriate sensing device. Depending upon the specific implementation, the map references may be encoded visibly or invisibly, and defined in such a way that a local query on the mapped surface yields an unambiguous map reference both within the map and among different maps. The computer system can contain information about features on the mapped surface, and such information can be retrieved based on map references supplied by a sensing device used with the mapped surface. The information thus retrieved can take the form of actions which are initiated by the computer system on behalf of the operator in response to the operator's interaction with the surface features.

In its preferred form, the netpage system relies on the production of, and human 30 interaction with, netpages. These are pages of text, graphics and images printed on

20

25

20

30

ordinary paper or other media, but which work like interactive web pages. Information is encoded on each page using ink which is substantially invisible to the unaided human eye. The ink, however, and thereby the coded data, can be sensed by an optically imaging pen and transmitted to the netpage system.

In the preferred form, active buttons and hyperlinks on each page can be clicked with the pen to request information from the network or to signal preferences to a network server. In one embodiment, text written by hand on a netpage is automatically recognized and converted to computer text in the netpage system, allowing forms to be filled in. In other embodiments, signatures recorded on a netpage are automatically verified, allowing e-commerce transactions to be securely authorized.

As illustrated in Figure 1, a printed netpage 1 can represent a interactive form which can be filled in by the user both physically, on the printed page, and "electronically", via communication between the pen and the netpage system. The example shows a "Request" form containing name and address fields and a submit 15 button. The netpage consists of graphic data 2 printed using visible ink, and coded data 3 printed as a collection of tags 4 using invisible ink. The corresponding page description 5, stored on the netpage network, describes the individual elements of the netpage. In particular it describes the type and spatial extent (zone) of each interactive element (i.e. text field or button in the example), to allow the netpage system to correctly interpret input via the netpage. The submit button 6, for example, has a zone 7 which corresponds to the spatial extent of the corresponding graphic 8.

As illustrated in Figure 2, the netpage pen 101, a preferred form of which is described in our earlier application USSN 09/ (docket number NPS001US), works in conjunction with a netpage printer 601, an Internet-connected printing 25 appliance for home, office or mobile use. The pen is wireless and communicates securely with the netpage printer via a short-range radio link 9.

The netpage printer 601, preferred forms of which are described in our earlier application USSN 09 (docket no. NPP003US) and our co-filed application USSN 09/ (docket number NPS024US), is able to deliver, periodically or on demand, personalized newspapers, magazines, catalogs, brochures and other publications, all printed at high quality as interactive netpages. Unlike a personal computer, the netpage printer is an appliance which can be, for example, wall-mounted adjacent to an area where the morning news is first consumed, such as in a user's kitchen, near a breakfast table, or near the household's point of departure for the day. It also comes in tabletop, desktop, portable and miniature versions.

Netpages printed at their point of consumption combine the ease-of-use of paper with the timeliness and interactivity of an interactive medium.

As shown in Figure 2, the netpage pen 101 interacts with the coded data on a printed netpage 1 and communicates, via a short-range radio link 9, the interaction to a netpage printer. The printer 601 sends the interaction to the relevant netpage page server 10 10 for interpretation. In appropriate circumstances, the page server sends a corresponding message to application computer software running on a netpage application server 13. The application server may in turn send a response which is printed on the originating printer.

The netpage system is made considerably more convenient in the preferred embodiment by being used in conjunction with high-speed microelectromechanical system (MEMS) based inkjet (MemjetTM) printers, described in our earlier applications USSN 09/________ (docket no. IJ52US), USSN 09/_______ (docket no. IJ52US), USSN 09/_______ (docket no. IJM52US), USSN 09/_______ (docket no. MJ10US), USSN 09/_______ (docket no. MJ11US), USSN 09/_______ (docket no. MJ11US), USSN 09/_______ (docket no. MJ15US), USSN 09/______ (docket no. MJ15US), USSN 09/______ (docket no. MJ34US), USSN 09/______ (docket no. MJ34US), USSN 09/______ (docket no. MJ63US), USSN 09/_____ (docket no. MJ63US). In the preferred form of this technology, relatively high-speed and high-quality printing is made more affordable to consumers. In its preferred form, a netpage publication has the physical characteristics of a traditional newsmagazine, such as a set of letter-size glossy pages printed in full color on both sides, bound together for easy navigation and comfortable handling.

The netpage printer exploits the growing availability of broadband Internet access. The netpage printer can also operate with slower connections, but with longer delivery times and lower image quality. The netpage system can also be enabled using

30

existing consumer inkjet and laser printers, although the system will operate more slowly and will therefore be less acceptable from a consumer's point of view. In other embodiments, the netpage system is hosted on a private intranet. In still other embodiments, the netpage system is hosted on a single computer or computer-enabled device, such as a printer.

Netpage publication servers 14 on the netpage network are configured to deliver print-quality publications to netpage printers. Periodical publications are delivered automatically to subscribing netpage printers via pointcasting and multicasting Internet protocols. Personalized publications are filtered and formatted according to individual user profiles.

A netpage printer can be configured to support any number of pens, and a pen can work with any number of netpage printers. In the preferred implementation, each netpage pen has a unique identifier. A household may have a collection of colored netpage pens, one assigned to each member of the family. This allows each user to maintain a distinct profile with respect to a netpage publication server or application server.

A netpage pen can also be registered with a netpage registration server 11 and linked to one or more payment card accounts. This allows e-commerce payments to be securely authorized using the netpage pen. The netpage registration server compares the signature captured by the netpage pen with a previously registered signature, allowing it to authenticate the user's identity to an e-commerce server. Other biometrics can also be used to verify identity. A version of the netpage pen includes fingerprint scanning, verified in a similar way by the netpage registration server.

Although a netpage printer may deliver periodicals such as the morning newspaper without user intervention, it can be configured never to deliver unsolicited junk mail. In its preferred form, it only delivers periodicals from subscribed or otherwise authorized sources. In this respect, the netpage printer is unlike a fax machine or e-mail account which is visible to any junk mailer who knows the telephone number or e-mail address.

Each object model in the system is described using a Unified Modeling Language (UML) class diagram. A class diagram consists of a set of object classes

30

20

25

30

connected by relationships, and two kinds of relationships are of interest here: associations and generalizations. An association represents some kind of relationship between objects, i.e. between instances of classes. A generalization relates actual classes, and can be understood in the following way: if a class is thought of as the set of all 5 objects of that class, and class A is a generalization of class B, then B is simply a subset of A. Each class is drawn as a rectangle labelled with the name of the class. It contains a list of the attributes of the class, separated from the name by a horizontal line, and a list of the operations of the class, separated from the attribute list by a horizontal line. In the class diagrams which follow, however, operations are never modelled. An association is drawn as a line joining two classes, optionally labelled at either end with the multiplicity of the association. The default multiplicity is one. An asterisk (*) indicates a multiplicity of "many", i.e. zero or more. Each association is optionally labelled with its name, and is also optionally labelled at either end with the role of the corresponding class. An open diamond indicates an aggregation association ("is-part-of"), and is drawn at the aggregator end of the association line. A generalization relationship ("is-a") is drawn as a solid line joining two classes, with an arrow (in the form of an open triangle) at the generalization end. When a class diagram is broken up into multiple diagrams, any class which is duplicated is shown with a dashed outline in all but the main diagram which defines it. It is shown with attributes only where it is defined.

Netpages are the foundation on which a netpage network is built. They provide a paper-based user interface to published information and interactive services. A netpage consists of a printed page (or other surface region) invisibly tagged with references to an online description of the page. The online page description is maintained persistently by a netpage page server. The page description describes the visible layout and content of the page, including text, graphics and images. It also describes the input elements on the page, including buttons, hyperlinks, and input fields. A netpage allows markings made with a netpage pen on its surface to be simultaneously captured and processed by the netpage system.

Multiple netpages can share the same page description. However, to allow input through otherwise identical pages to be distinguished, each netpage is assigned a unique page identifier. This page ID has sufficient precision to distinguish between a very large number of netpages.

15

25

Each reference to the page description is encoded in a printed tag. The tag identifies the unique page on which it appears, and thereby indirectly identifies the page description. The tag also identifies its own position on the page. Characteristics of the tags are described in more detail below.

Tags are printed in infrared-absorptive ink on any substrate which is infraredreflective, such as ordinary paper. Near-infrared wavelengths are invisible to the human eye but are easily sensed by a solid-state image sensor with an appropriate filter.

A tag is sensed by an area image sensor in the netpage pen, and the tag data is transmitted to the netpage system via the nearest netpage printer. The pen is wireless and communicates with the netpage printer via a short-range radio link. Tags are sufficiently small and densely arranged that the pen can reliably image at least one tag even on a single click on the page. It is important that the pen recognize the page ID and position on every interaction with the page, since the interaction is stateless. Tags are error-correctably encoded to make them partially tolerant to surface damage.

The netpage page server maintains a unique page instance for each printed netpage, allowing it to maintain a distinct set of user-supplied values for input fields in the page description for each printed netpage.

The relationship between the page description, the page instance, and the printed netpage is shown in Figure 3. The printed netpage may be part of a printed 20 netpage document 45. The page instance is associated with both the netpage printer which printed it and, if known, the netpage user who requested it.

In a preferred form, each tag identifies the region in which it appears, and the location of that tag within the region. A tag may also contain flags which relate to the region as a whole or to the tag. One or more flag bits may, for example, signal a tag sensing device to provide feedback indicative of a function associated with the immediate area of the tag, without the sensing device having to refer to a description of the region. A netpage pen may, for example, illuminate an "active area" LED when in the zone of a hyperlink.

In a preferred embodiment, each tag contains an easily recognized invariant

30 structure which aids initial detection, and which assists in minimizing the effect of any

10

15

20

30

warp induced by the surface or by the sensing process. The tags preferably tile the entire page, and are sufficiently small and densely arranged that the pen can reliably image at least one tag even on a single click on the page. It is important that the pen recognize the page ID and position on every interaction with the page, since the interaction is stateless.

In a preferred embodiment, the region to which a tag refers coincides with an entire page, and the region ID encoded in the tag is therefore synonymous with the page ID of the page on which the tag appears. In other embodiments, the region to which a tag refers can be an arbitrary subregion of a page or other surface. For example, it can coincide with the zone of an interactive element, in which case the region ID can directly identify the interactive element.

Each tag contains typically contains 16 bits of tag ID, at least 90 bits of region ID, and a number of flag bits. Assuming a maximum tag density of 64 per square inch, a 16-bit tag ID supports a region size of up to 1024 square inches. Larger regions can be mapped continuously without increasing the tag ID precision simply by using abutting regions and maps. The distinction between a region ID and a tag ID is mostly one of convenience. For most purposes the concatenation of the two can be considered as a globally unique tag ID. Conversely, it may also be convenient to introduce structure into the tag ID, for example to define the x and y coordinates of the tag. A 90-bit region ID allows 290 (~1027 or a thousand trillion trillion) different regions to be uniquely identified. Tags may also contain type information, and a region may be tagged with a mixture of tag types. For example, a region may be tagged with one set of tags encoding x coordinates and another set, interleaved with the first, encoding y coordinates.

In one embodiment, 120 bits of tag data are redundantly encoded using a (15, 5) Reed-Solomon code. This yields 360 encoded bits consisting of 6 codewords of 15 4-25 bit symbols each. The (15, 5) code allows up to 5 symbol errors to be corrected per codeword, i.e. it is tolerant of a symbol error rate of up to 33% per codeword. Each 4-bit symbol is represented in a spatially coherent way in the tag, and the symbols of the six codewords are interleaved spatially within the tag. This ensures that a burst error (an error affecting multiple spatially adjacent bits) damages a minimum number of symbols overall and a minimum number of symbols in any one codeword, thus maximising the likelihood that the burst error can be fully corrected.

25

30

Any suitable error-correcting code code can be used in place of a (15, 5) Reed-Solomon code, for example a Reed-Solomon code with more or less redundancy, with the same or different symbol and codeword sizes; another block code; or a different kind of code, such as a convolutional code (see, for example, Stephen B. Wicker, Error 5 Control Systems for Digital Communication and Storage, Prentice-Hall 1995, the contents of which a herein incorporated by cross-reference).

One embodiment of the physical representation of the tag, shown in Figure 4a and described in our earlier application USSN 09/ (docket number NPT002US), includes fixed target structures 15, 16, 17 and variable data areas 18. The 10 fixed target structures allow a sensing device such as the netpage pen to detect the tag and infer its three-dimensional orientation relative to the sensor. The data areas contain representations of the individual bits of the encoded tag data. To maximise its size, each data bit is represented by a radial wedge in the form of an area bounded by two radial lines and two concentric circular arcs. Each wedge has a minimum dimension of 8 dots at 1600 dpi and is designed so that its base (its inner arc), is at least equal to this minimum dimension. The height of the wedge in the radial direction is always equal to the minimum dimension. Each 4-bit data symbol is represented by an array of 2×2 wedges. The fifteen 4-bit data symbols of each of the six codewords are allocated to the four concentric symbol rings 18a to 18d in interleaved fashion. Symbols are allocated alternately in circular progression around the tag. The interleaving is designed to maximise the average spatial distance between any two symbols of the same codeword.

In order to support "single-click" interaction with a tagged region via a sensing device, the sensing device must be able to see at least one entire tag in its field of view no matter where in the region or at what orientation it is positioned. The required diameter of the field of view of the sensing device is therefore a function of the size and spacing of the tags. Assuming a circular tag shape, the minimum diameter of the sensor field of view 193 is obtained when the tags are tiled on a equilateral triangular grid, as shown in Figure 4b.

The tag structure just described is designed to allow both regular tilings of planar surfaces and irregular tilings of non-planar surfaces. Regular tilings are not, in general, possible on non-planar surfaces. In the more usual case of planar surfaces where

25

30

regular tilings of tags are possible, i.e. surfaces such as sheets of paper and the like, more efficient tag structures can be used which exploit the regular nature of the tiling.

An alternative tag structure more suited to a regular tiling is shown in Figure 5a. The tag 4 is square and has four perspective targets 17. It is similar in structure to tags described by Bennett et al. in US Patent 5,051,746. The tag represents sixty 4-bit Reed-Solomon symbols 47, for a total of 240 bits. The tag represents each one bit as a dot 48, and each zero bit by the absence of the corresponding dot. The perspective targets are designed to be shared between adjacent tags, as shown in Figures 5b and 5c. Figure 5b shows a square tiling of 16 tags and the corresponding minimum field of view 193, which must span the diagonals of two tags. Figure 5c shows a square tiling of nine tags, containing all one bits for illustration purposes.

Using a (15, 7) Reed-Solomon code, 112 bits of tag data are redundantly encoded to produce 240 encoded bits. The four codewords are interleaved spatially within the tag to maximize resilience to burst errors. Assuming a 16-bit tag ID as before, this allows a region ID of up to 92 bits. The data-bearing dots 48 of the tag are designed to not overlap their neighbors, so that groups of tags cannot produce structures which resemble targets. This also saves ink. The perspective targets therefore allow detection of the tag, so further targets are not required.

Although the tag may contain an orientation feature to allow disambiguation of the four possible orientations of the tag relative to the sensor, it is also possible to embed orientation data in the tag data. For example, the four codewords can be arranged so that each tag orientation contains one codeword placed at that orientation, as shown in Figure 5d, where each symbol is labelled with the number of its codeword (1-4) and the position of the symbol within the codeword (A-O). Tag decoding then consists of decoding one codeword at each orientation. Each codeword can either contain a single bit indicating whether it is the first codeword, or two bits indicating which codeword it is. The latter approach has the advantage that if, say, the data content of only one codeword is required, then at most two codewords need to be decoded to obtain the desired data. This may be the case if the region ID is not expected to change within a stroke and is thus only decoded at the start of a stroke. Within a stroke only the codeword containing the tag ID is then desired. Furthermore, since the rotation of the sensing device changes

25

30

slowly and predictably within a stroke, only one codeword typically needs to be decoded per frame.

It is possible to dispense with perspective targets altogether and instead rely on the data representation being self-registering. In this case each bit value (or multi-bit value) is typically represented by an explicit glyph, i.e. no bit value is represented by the absence of a glyph. This ensures that the data grid is well-populated, and thus allows the grid to be reliably identified and its perspective distortion detected and subsequently corrected during data sampling. To allow tag boundaries to be detected, each tag data must contain a marker pattern, and these must be redundantly encoded to allow reliable detection. The overhead of such marker patterns is similar to the overhead of explicit perspective targets. One such scheme uses dots positioned a various points relative to grid vertices to represent different glyphs and hence different multi-bit values (see Anoto Technology Description, Anoto April 2000).

Decoding a tag results in a region ID, a tag ID, and a tag-relative pen transform. Before the tag ID and the tag-relative pen location can be translated into an absolute location within the tagged region, the location of the tag within the region must be known. This is given by a tag map, a function which maps each tag ID in a tagged region to a corresponding location. A tag map reflects the scheme used to tile the surface region with tags, and this can vary according to surface type. When multiple tagged regions share the same tiling scheme and the same tag numbering scheme, they can also share the same tag map. The tag map for a region must be retrievable via the region ID. Thus, given a region ID, a tag ID and a pen transform, the tag map can be retrieved, the tag ID can be translated into an absolute tag location within the region, and the tag-relative pen location can be added to the tag location to yield an absolute pen location within the region.

The tag ID may have a structure which assists translation through the tag map. It may, for example, encoded cartesian coordinates or polar coordinates, depending on the surface type on which it appears. The tag ID structure is dictated by and known to the tag map, and tag IDs associated with different tag maps may therefore have different structures.

Two distinct surface coding schemes are of interest, both of which use the tag

30

structure described earlier in this section. The preferred coding scheme uses "locationindicating" tags as already discussed. An alternative coding scheme uses "objectindicating" (or "function-indicating") tags.

A location-indicating tag contains a tag ID which, when translated through the
tag map associated with the tagged region, yields a unique tag location within the region.
The tag-relative location of the pen is added to this tag location to yield the location of
the pen within the region. This in turn is used to determine the location of the pen
relative to a user interface element in the page description associated with the region.
Not only is the user interface element itself identified, but a location relative to the user
interface element is identified. Location-indicating tags therefore trivially support the
capture of an absolute pen path in the zone of a particular user interface element.

An object-indicating (or function-indicating) tag contains a tag ID which directly identifies a user interface element in the page description associated with the region (or equivalently, a function). All the tags in the zone of the user interface element identify the user interface element, making them all identical and therefore indistinguishable. Object-indicating tags do not, therefore, support the capture of an absolute pen path. They do, however, support the capture of a relative pen path. So long as the position sampling frequency exceeds twice the encountered tag frequency, the displacement from one sampled pen position to the next within a stroke can be unambiguously determined. As an alternative, the netpage pen 101 can contain a pair or motion-sensing accelerometers, as described in our earlier application USSN 099/

With either tagging scheme, the tags function in cooperation with associated visual elements on the netpage as user interactive elements in that a user can interact with the printed page using an appropriate sensing device in order for tag data to be read by the sensing device and for an appropriate response to be generated in the netpage system.

Each application user interface flow is illustrated as a collection of documents linked by command arrows. A command arrow indicates that the target document is printed as a result of the user pressing the corresponding command button on the source page. Some command arrows are labelled with multiple commands separated by slashes

20

30

('/'s), indicating that any one of the specified commands causes the target document to be printed. Although multiple commands may label the same command arrow, they typically have different side-effects.

In application terms, it is important to distinguish between netpage documents 5 and netpage forms. Documents contain printed information, as well as command buttons which can be pressed by the user to request further information or some other action. Forms, in addition to behaving like normal documents, also contain input fields which can be filled in by the user. They provide the system with a data input mechanism. It is also useful to distinguish between documents which contain generic information and 10 documents which contain information specific to a particular interaction between the user and an application. Generic documents may be pre-printed publications such as magazines sold at news stands or advertising posters encountered in public places. Forms may also be pre-printed, including, for example, subscription forms encountered in preprinted publications. They may, of course, also be generated on-the-fly by a netpage printer in response to user requests. User-specific documents and forms are normally generated on the fly by a netpage printer in response to user requests. Figure 6 shows a generic document 990, a generic form 991, a user-specific document 992, and a userspecific form 993.

Netpages which participate in a user interface flow are further described by abstract page layouts. A page layout may contain various kinds of elements, each of which has a unique style to differentiate it from the others. As shown in Figure 7, these include fixed information 994, variable information 995, input fields 996, command buttons 997, draggable commands 998, and text hyperlinks or hypertext links 999.

When a user interface flow is broken up into multiple diagrams, any document 25 which is duplicated is shown with dashed outlines in all but the main diagram which defines it.

PROVIDING INSURANCE SERVICES USING THE NETPAGE SYSTEM

The netpage system then, provides the facility for insurance providers to offer products and services to customers. These insurance services include obtaining information about insurance products, obtaining insurance quotes, entering into new policies with customers, making an insurance claim and enabling payment on new or existing policies.

5

20

25

30

Insurance Services Object Model

The Insurance Services Object Model revolves around products, quotes, insurance policies and payments.

Turning firstly to Figure 8, an Insurance Services provider class diagram is shown. Its insurance provider 501 has the unique provider identifier 505 and name 502 and has a number of insurance customers 503. Each insurance customer has an alias identifier 65 which is unique within the scope of the insurance provider 501. Each insurance customer 503 represents a particular netpage user 800 to the provider. A netpage user, on the other hand, can be an insurance customer of any number of providers.

An insurance provider 501 may have a number of insurance products 506 each with a product name, product information, policy terms, and a product type 507. Product types 507 include typically auto insurance 508, boat insurance 509, home insurance 510, and life insurance 511, as illustrated in the Product Type class diagram in Figure 10. An example of different product names of type home insurance may be house (building) insurance, home and contents insurance, and domestic workers insurance.

Associated with each insurance product 506 is a number of quotes. In the given example in Figure 46, a house insurance quote 512 a quote number 504, the date and time the quote was issued, ZIP code of the house being insured, dwelling type, dwelling use, insured value, the deductible, the quoted premium and the quoted expiry date. For example, the dwelling use 514 may be owner occupied 515 or rented 516, as illustrated in the class diagram in Figure 13 whilst the dwelling type 517 may be a timber house 518, a brick house 519, a mobile home 520 or a condominium 521 as illustrated in the dwelling type class diagram in Figure 14.

Each house insurance quote 512 may include a number of property features such as those illustrated in the class diagram of Figure 12 where the property features 522 include deadbolt locks 523, fire extinguishers 524, smoke or fire alarms 525, or security systems 526. A quote may also include a claim history giving a description of any previous house insurance claims. Associated with each quote may be a number of

20

30

extra coverage items such as those illustrated in the class diagram of Figure 11 where the extra coverage items 527 include earthquake coverage 528 and flood coverage 529.

A user can request a quote for an insurance product anonymously. The user need not be a registered customer of the insurance provider 501 to obtain a quote, 5 however the user must register to purchase an insurance policy 532. When the user registers as an insurance customer 503, their name and description derives from the details of the corresponding netpage user 800.

The user may choose to purchase an insurance policy 532 based on the quote. Figure 15 discloses a House Insurance Policy class diagram. The insurance policy 532 includes details such as the policy number, the date and time the policy was issued, the policy start date and renewal date, the address of the dwelling being insured, the dwelling type and the dwelling use, the insured value, the deductible and the policy premium. A policy 532 also has a number of property features 522, claim history 530, and extra coverage items 527.

Each policy 532 has payment details 534 associated with it, and each payment details include a payment method 535. The payment details 534 include the date and time of the payment, the amount, and the authorisation number. A customer 503 has a set of payment methods 535 from which they can choose when paying an insurance policy. The most common of the many possible payment methods are shown in the Payment Method class diagram illustrated in Figure 47.

When the SET payment card payment method 536 is used, the corresponding SET payment card 821 which is linked to the user is employed to make the payment according to the normal SET protocol.

With the payment card payment method 538, the specified payment card is used to make payment according to the normal protocol between the merchant, in this case the insurance provider, and their acquiring bank or institution which handles the particular payment card type.

The set of payment methods supported by a particular insurance provider 501 is specific to that provider, and may be different for different customers depending on their credit ratings etc.

Insurance Services User Interface

The netpage user may obtain the Insurance main page 539 (Figure 20) from a variety of links including:

- · an advertisement:
- the netpage directory (i.e. via the printer's help menu 46);
 - · the netpage user's own bookmark.

The Insurance Main Page user interface flow is shown in Figure 16.

Insurance Main Page

10

The Insurance main page 539 is shown in Figure 20 and allows the user to select an insurance product type 507, reprint a previously-issued quote or access an existing policy.

If the user clicks on a product type 507, a Product page 540 is printed, shown in Figure 21.

To reprint a previously-issued quote, the user specifies the quote number and presses <Reprint Quote> 560. An Insurance Quote page 537 is then printed and an example of a House Insurance Quote page 541 is shown in Figure 26.

To access an existing policy, the user specifies the policy number, signs the form with their netpage pen, and presses <Access Policy> 561. The user's signature is verified from netpage records, a Policy Details page 542 is printed, as shown in Figure 23.

The Insurance Main Page user interface flow is shown in Figure 16 showing the Product page 540, the Policy Details 542, and the Insurance Quote 537.

25 Policy Details

The Policy Access user interface flow is shown in Figure 17 showing the Policy Terms page 565, the Payment Details page 566, and the Policy Claim form 567. The content of these pages varies depending on the insurance product 506. The specific example of house insurance is used to further illustrate this application.

The House Insurance Policy Details page 542 as shown in Figure 23 shows details of an existing house insurance policy. The user can print the terms of the insurance policy by pressing the <View Policy Terms> button 544.

The user can renew the policy by pressing the <Renew Policy> button 545. A 5 payment details page 566 is printed to enable the payment of the renewal.

The user can make a claim on a policy by pressing the <Make A Claim> button 546. A Claim Form is printed which the user can complete and submit to the insurance provider.

10 Obtaining a Quote

When the user selects a product type 507 from the Insurance main page 539, the Insurance Product page 540, shown in Figure 21, is printed showing a list of all the products 506 of the selected product type. The user clicks on the desired product and a Product Information page 547 is printed, as shown in Figure 22.

The user can request a quote for this product by pressing <Request A Quote> button 548. A quote request form for the product is printed. In the case of house insurance, a Dwelling Information page 549 is printed as shown in Figure 24.

On the Dwelling Information page 549, the user completes details of the dwelling type, dwelling use, features of the dwelling, the zip code of the dwelling, and 20 the desired insurance value of the dwelling. If the user presses <Reset Form> 550 a blank Dwelling Information form 549 is printed. The user presses <Continue> 551 to go to the next step of requesting a quotation. A Policy Options form 552 is printed as shown in Figure 25.

On the Policy Options form the user specifies extra coverage items, the desired deductible in the event of a claim, and any relevant previous claim history 530. If the user presses <Reset Form> 562 a blank Policy Options form 552 is printed. When the details are completed, the user presses <Request Quote> 553. A House Insurance Quote page 541 is printed as shown in Figure 26.

The House Insurance Quote page 541 shows the information entered by the 30 user (and used by the insurer in calculating the premium), the quoted premium, and the

quote expiry date. The user can print the terms of the insurance policy by pressing the <View Policy Terms> button 554.

If the user wishes to accept the quotation and purchase the insurance policy they sign the form and press <Accept Quote> 555. The user is identified by the netpage pen they are using and the signature is verified from netpage records.

If the user wishes to obtain a new quote, they press the <New Quote> button 556 and a blank Dwelling Information form 549 is printed.

Purchasing Insurance

10

As indicated above, a netpage user may obtain insurance quotes without being identified to the insurance provider 501, however the user must be registered as a customer 503 of the insurance provider before purchasing a policy.

If the user presses <Accept Quote> 555 on the House Insurance Quote page 541 (Figure 26) and the user is already a registered customer 503 of the insurance provider 501, a Purchase Insurance form 557 is printed as shown in Figure 27.

If the user is not registered with the provider, an Insurance User Registration form 563 is printed. This form is generated by the netpage registration server. When the user completes the registration, the Purchase Insurance form 557 is printed.

The Purchase Insurance form 557 shows the quote number, the dwelling 20 insured value, and the insurance premium. The user completes the address of the dwelling being insured, and the payment method. If the user has a history of payment methods with the insurer, these payment methods will be listed and the user can select one. Alternatively, the user can enter details of a new payment card. The user signs the form and presses the <Pay Now> button 558. A Policy and Receipt page 559 is then 25 printed as illustrated in Figure 28.

The user's signature is verified from netpage records. If the user chooses to use the secure electronic transaction (SET) payment mechanism built into the netpage system, the user's payment card details are never revealed to the insurance provider.

CONCLUSION

The present invention has been described with reference to a preferred embodiment and number of specific alternative embodiments. However, it will be appreciated by those skilled in the relevant fields that a number of other embodiments, 5 differing from those specifically described, will also fall within the spirit and scope of the present invention. Accordingly, it will be understood that the invention is not intended to be limited to the specific embodiments described in the present specification, including documents incorporated by cross-reference as appropriate. The scope of the invention is only limited by the attached claims.

CLAIMS

A method of providing insurance services, the method including the steps of

printing on demand on a surface, a form containing information relating to an

5 insurance service, and at the same time as printing the information, printing on the
surface coded data indicative of an identity of the form and of at least one reference point
of the form:

receiving, in a computer system, indicating data from a sensing device regarding the identity of the form and a position of the sensing device relative to the form, the sensing device, when placed in an operative position relative to the form, sensing the indicating data using at least some of the coded data; and

identifying, in the computer system and from the indicating data, at least one parameter relating to the insurance service.

15 2. The method of claim 1 in which said at least one parameter relating to the insurance service is associated with at least one zone of the form and in which the method includes identifying, in the computer system and from the zone relative to which the sensing device is located, said at least one parameter.

20 3. The method of claim 2 which includes

receiving, in the computer system, data regarding movement of the sensing device relative to the form, the sensing device sensing its movement relative to the form using at least some of the coded data; and

identifying, in the computer system and from said movement being at least 5 partially within said at least one zone, said at least one parameter of the insurance service.

4. A method of providing insurance services, the method including the steps of

printing on demand on a surface, a form containing information relating to an insurance service, and at the same time as printing the information, printing on the surface coded data indicative of at least one parameter of the insurance service;

receiving, in a computer system, data from a sensing device regarding said at

5 least one parameter and regarding movement of the sensing device relative to the form,
the sensing device, when moved relative to the form, sensing the data regarding said at
least one parameter using at least some of the coded data and generating the data
regarding its own movement relative to the form; and

interpreting, in the computer system, said movement of the sensing device as it

10 relates to said at least one parameter.

- A method of providing insurance services, the method including the steps of printing on demand on a surface, a form including coded data indicative of an identity of the form;
- 15 receiving, in a computer system, data from a sensing device regarding an identity of a customer and regarding the identity of the form, the sensing device containing the data regarding the identity of the customer and sensing the data regarding the identity of the form using at least some of the coded data; and

identifying, in the computer system and from the data regarding the identity of the customer and the identity of the form, an insurance service.

- The method of claim 5 in which the coded data is also indicative of at least one parameter of the insurance service, and the method includes receiving, in the computer system, indicating data from the sensing device regarding said at least one parameter of the insurance service, the sensing device sensing the indicating data using at least some of the coded data.
 - The method of claim 6 which includes receiving, in the computer system, data from the sensing device regarding movement of the sensing device relative to the form,

the sensing device generating data regarding its own movement relative to the form.

- The method of any one of claims 2, 4 or 6 in which the parameter is an action parameter of the insurance service, the method including effecting, in the computer
 system, an operation in respect of the action parameter.
 - The method of claim 8 in which the action parameter of the insurance service is selected from the group comprising:

obtaining insurance product information;

10 obtaining details of an insurance policy;

obtaining a quote for insurance;

making an insurance claim;

viewing the terms of an insurance policy;

accepting the terms of an insurance policy; and

15 making payment for an insurance policy.

- 10. The method of any one of claims 3, 4 or 7 in which the parameter is an option parameter of the insurance service, the method including identifying, in the computer system, that a customer has entered a hand-drawn mark by means of the sensing device and effecting, in the computer system, an operation associated with the option parameter.
 - 11. The method of claim 10 in which the option parameter is associated with at least one of:

an insurance product type;

25 a payment method;

a card type;

extra coverage items;

20

- a deductible;
- a dwelling type;
- a dwelling use;
- a dwelling feature; or
- 5 a property feature.
 - 12. The method of any one of claims 3, 4 or 7 in which the parameter is a text parameter of the insurance service, the method including identifying, in the computer system, that a customer has entered handwritten text data by means of the sensing device and effecting, in the computer system, an operation associated with the text parameter.
 - The method of claim 12 which includes converting, in the computer system, the handwritten text data to computer text.
- 15 14. The method of claim 13 in which the text parameter is associated with at least one of:
 - a quote number;
 - a policy number;
 - a zip code;
- 20 an insured value;
 - insurance claim history;
 - a property address; and
 - payment card details.
- 25 15. The method of any one of claims 3, 4 or 7 in which the parameter is an authorisation parameter of the insurance service, the method including identifying, in the computer system, that a customer has entered a handwritten signature by means of the

sensing device and effecting, in the computer system, an operation associated with the authorisation parameter.

- 16. The method of claim 15 which includes verifying, in the computer system, that the signature is that of the customer.
 - 17. The method of claim 16 in which the authorisation parameter is associated with at least one of

insurance policy acceptance, and

10 payment authorisation.

- 18. The method of any one of claims 3, 4 or 7 in which the parameter is a picture parameter of the insurance service, the method including identifying, in the computer system, that a customer has entered a hand-drawn picture by means of the sensing device and effecting, in the computer system, an operation associated with the picture parameter.
- The method of claim 18 in which the picture parameter is associated with an insurance claim.

20

20. The method of any one of claims 1, 4 or 5 in which the form contains information relating to at least one of:

insurance product information;

insurance policy details;

25 an insurance quote;

insurance policy terms; and

insurance policy receipt.

- 21. The method of any one of claims 1, 4, or 5 which includes printing the coded data to be substantially invisible in the visible spectrum.
- 5 22. The method of claim 1 or 5 which includes retaining a retrievable record of each form generated, the form being retrievable using its identity as contained in its coded data.
- 23. The method of any one of claims 1, 4 or 5 which includes distributing a lot plurality of the forms using a mixture of multicast and pointcast communications protocols.
- 24. The method of claim 1 or 4 in which the sensing device contains an identification means which imparts a unique identity to the sensing device and identifies15 it as belonging to a particular customer and in which the method includes monitoring, in the computer system, said identity.
- 25. The method of any one of claims 1, 4 or 5 which includes providing all required information relating to the insurance service in the form to eliminate the need for a separate display device.
 - 26. The method of any one of claims 1, 4 or 5 in which the form is printed on multiple pages and in which the method includes binding the pages.
- 25 27. A system for providing insurance services, the system including
 - a form printed on the surface, the form containing information relating to an insurance service, the form including coded data indicative of an identity of the form and of at least one reference point of the form; and

a printer operative to print on demand the form by printing on the surface the information and at the same time the coded data; and

- a computer system for receiving indicating data from a sensing device for identifying at least one parameter relating to the insurance service, the indicating data being indicative of the identity of the form and a position of the sensing device relative to the form, the sensing device sensing the indicating data using at least some of the coded data.
- 28. The system of claim 27 in which said at least one parameter relating to the 10 insurance service is associated with at least one zone of the form.
 - 29. The system of claim 27 which includes the sensing device, the sensing device sensing its movement relative to the form using at least some of the coded data.
- 15 30. A system for providing insurance services, the system including
 - a form printed on the surface, the form containing information relating to an insurance service, the form including coded data indicative of at least one parameter of the insurance service;
- a printer operative to print on demand the form by printing on the surface the 20 information and at the same time the coded data; and
- a computer system for receiving data from a sensing device regarding said at least one parameter and regarding movement of the sensing device relative to the form, and for interpreting said movement of the sensing device as it relates to said at least one parameter, the sensing device, when moved relative to the form, sensing the data regarding said at least one parameter using at least some of the coded data and generating the data regarding its own movement relative to the form.
 - A system for providing insurance services, the system including

a form printed on the surface, the form including coded data indicative of an identity of the form; and

a printer operative to print on demand the form by printing on the surface, the coded data; and

a computer system for receiving from a sensing device data regarding an identity of a customer and the identity of the form, and for identifying, from said received data, an insurance service, the sensing device containing the data regarding the identity of the customer and sensing the data regarding the identity of the form using at least some of the coded data.

10

32. The system of claim 31 in which the coded data is also indicative of at least one parameter of the insurance service, the computer system receiving indicating data from the sensing device regarding said at least one parameter of the insurance service, and the sensing device sensing the indicating data using at least some of the coded data.

15

- 33. The system of claim 31 which includes the sensing device, the sensing device sensing its movement relative to the form.
- 34. The system of any one of claims 27, 30 or 31 in which said at least one parameter of the insurance service is selected from the group comprising an action parameter of the insurance service, an option parameter of the insurance service, a text parameter of the insurance service, an authorisation parameter of the insurance service, and a picture parameter of the insurance service.
- 25 35. The system of claim 34 in which the action parameter of the insurance service is selected from the group comprising

obtaining insurance product information;

obtaining details of an insurance policy;

10

15

20

25

37.

36.

```
obtaining a quote for insurance;
         making an insurance claim;
         viewing insurance policy terms;
         accepting the terms of an insurance policy; and
         making payment for an insurance policy.
         The system of claim 34 in which the option parameter is associated with at least
one of:
         an insurance product type;
         a payment method;
         a card type;
         extra coverage items;
         a deductible:
         a dwelling type;
         a dwelling use;
         a dwelling feature; or
         a property feature.
         The system of claim 34 in which the text parameter is associated with at least
one of:
         a quote number;
         a policy number;
         a zip code;
```

an insured value;

insurance claim history; a property address; and

10

20

payment card details.

- 38. The system of claim 34 in which the authorisation parameter is associated with at least one of:
- 5 insurance policy acceptance, and payment authorisation.
 - 39. The system of claim 34 in which the picture parameter is associated with an insurance claim


40. The system of any one of claims 29, 30 or 33 in which the sensing device includes a marking nib.

- 41. The system of claim 29 or 30 in which the sensing device contains an identification means which imparts a unique identity to the sensing device and identifies it as belonging to a particular customer.
 - 42. The system of any one of claims 27, 30 or 31 in which the coded data is substantially invisible in the visible spectrum.
 - 43. The system of claim 27 or 31 which includes a database for keeping a retrievable record of each form generated, each form being retrievable by using its identity as included in its coded data
- 44. The system of any one of claims 27, 30, or 31 in which, to cater for a form printed on multiple pages, the printer includes a binding means for binding the pages.

ABSTRACT

The invention concerns a method and system for providing insurance. Employing the invention involves the use of one or more forms capable of interacting with a computer system or network, each form comprising sheet material such as paper which has coded data printed on it and which allows it to interact with the computer system by use of a sensing device operated by a user. The invention can be employed by an insurance provider to allow it to deal with a customer in offering a broad range of services including providing the facility to obtain information about insurance products, insurance quotes, and to make insurance claims and payments, and to enter into new policies with customers.

(Figure 8)






FIG. 1




FIG. 2




FIG. 3




FIG. 4a




FIG. 4b





FIG. 5a






FIG. 5c

		1A	46	1B	4K	1C	40	
	OΣ	21	NΣ	2Н	MS	2D	72	2A
47	4C	1D	44	1E	4.	1F	4N	1G
	ЗK	2M	Lਣ	21	IΣ	2E	HΣ	2В
	48	1H	4	11	4	1J	4 _M	1K
	୨୧	2N	75	2)	3E	2F	۵S	20
	44	1L	40	1M	#	1N	4	10
		20	2C	24	ସହ	2G	ΑS	

FIG. 5d




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

	PRODUCT TYPE	INSURANCE	PAGE 1 OF 1
	SELECT A PRODUCT TO V	VIEW PRODUCT INFORMATIO	ON
	PRODU	ICT NAME	
	PRODU	SCT NAME	
540-			

FIG. 21




FIG. 22

	HOUSE INSUI POLICY DETA		DATE &	TIME!! PA	GE 1 OF #
	PRODUCT NAM	ME] F	POLICY NBR	POLICY	NBR]
	POLICY HOLDER	NAME]	
	POLICY START	START	RENEWAL	DUE [RENEW
	ADDRESS OF PROPERTY	ADDRESS			
					!
	DWELLING TYPE	DWELLING TYP]	
	DWELLING USE	DWELLING USE]	
	FEATURES	PROPERTY FEA	TURE		
	EXTRA COVERAGE	EXTRA COVERA	GE ITEM]	
	DEDUCTIBLE	DEDUCTIBLE]		
	INSURED VALUE	INSURED YALU	E]		
	INSURANCE PRE	MIUM PREM	IUM		544
			(VI	EW POLIC	Y TERMS
		54	_		545
542					5
		(MAKE A (CLAIM)	(RENEW	/ POLICY)

FIG. 23

	HOUSE INSURANCE QUOTE REQUEST DWELLING INFORMATION	PAGE 1 OF 1
	TYPE OF DWELLING BRICK HOUSE CONDOMINIUM TIMBER HOUSE MOBILE HOME	
	DWELLING USE OWNER OCCUPIED RENTED	
	FEÄTURES OF DWELLING DEADBOLT LOCKS SMOKE / FIRE A SECURITY SYSTEM FIRE EXTINGUIS	
	ZIP CODE OF DWELLING ZIP CODE VALUE OF DWELLING INSURED VALUE	
549~	550 RESET FORM CC	551 SONTINUE

FIG. 24

	HOUSE INSURANCE QUOTE REQUEST PAGE 1 OF 1 POLICY OPTIONS TRAN NBR:
	EXTRA COVERAGE REQUIRED BARTHQUAKE FLOOD COVERAGE COVERAGE
	DEDUCTIBLE \$50 \$500
	\$100 \$1000 PLEASE GIVE DETAILS OF ANY PREVIOUS CLAIMS 530
	CLAIM HISTORY DESCRIPTION
	CLAIM HISTORY DESCRIPTION
552	562 (CONTINUE OVER PAGE IF NECESSARY) RESET FORM 553 \(\text{REQUEST QUOTE} \)

FIG. 25

	HOUSE INSU	RANCE QUOTE DATE & TIME!! PAGE 1 OF #
	QUOTE NBR	TRAN NBR
	DWELLING TYPE	DWELLING TYPE
ļ	DWELLING USE	DWELLING USE
	ZIP CODE OF DWELLING	ZIP CODE
	FEATURES	PROPERTY FEATURE
		PROPERTY FEATURE :
	EXTRA COVERAGE	EXTRA COVERAGE ITEM
	DEDUCTIBLE	DEDUCTIBLE
	INSURED VALUE	INSURED VALUE
	INSURANCE PRE	
	QUOTE VALID UI	VTIL QUOTE EXPIRY 554
		(VIEW POLICY TERMS)
		G QUOTATION AND APPLY FOR INSURANCE, ND PRESS <accept quote="">.</accept>
541 V	SIGNATURE	SIGNATURE ACCEPT QUOTE
	NEW QUOTE	555 556

FIG. 26

	PURCHASE HOUSE INSURANCE	DATE TIME
	QUOTE NBR QUOTE NBR INSURED INSURED VALUE INSURANCE PREMIUM PREMIUM	
	ADDRESS OF PROPERTY ADDRESS	
	SELECT ONE, OR ENTER NEW PAYMENT CARD	
	CARDHOLDER NAME EXPIRY CARD NAME & ACCT EXPIRY CARD NAME & ACCT EXPIRY	
1	NEW PAYMENT CARD CARDHOLDER NAME CARD NAME & ACCT	
	EXPIRY EXPIRY CARD TYPE	
557~	□ VISA □ DISCOVER □ MASTERCARD □ JCB □ AMERICAN EXPRESS	?
	TOTAL CHARGE PREMIUM	<i>558</i>
	AUTHORISING SIGNATURE SIGNATURE	PAY NOW

FIG. 27

			i	& TIME!	PAGE 1 OF #
PRODUCT NAM	<u>ME</u>	PC	DLICY N	BR POLI	CY NBR
POLICY HOLDER	NAME		 		
POLICY START	START]	RENEW	AL DUE	RENEW
ADDRESS OF PROPERTY	ADDRESS		-		
DWELLING TYPE	DWELLING	TVPE	 	· ·;	:
		===		:=={	
DWELLING USE			,-	. 	
FEATURES	PROPERTY	FEAT	TURE !		
EXTRA COVERAGE	EXTRA COV	ERAC	GE ITEM	1]	
DEDUCTIBLE	DEDUCTIBL	E			
INSURED VALUE	INSURED V	ALUE			
INSURANCE PRE.	MIUM PI	REMII	JM]		
RECEIPT NUMBE	R AUTH.	NBR	_]		
			(VIEW POI	LICY TERMS
	POLICY DETA PRODUCT NAM POLICY HOLDER POLICY START ADDRESS OF PROPERTY DWELLING TYPE DWELLING USE FEATURES EXTRA COVERAGE DEDUCTIBLE INSURANCE PRE	POLICY DETAILS & REC PRODUCT NAME POLICY HOLDER NAME POLICY START START ADDRESS OF ADDRESS PROPERTY DWELLING TYPE DWELLING DWELLING USE DWELLING FEATURES PROPERTY EXTRA COVERAGE EXTRA COV DEDUCTIBLE DEDUCTIBL INSURANCE PREMIUM PI	POLICY DETAILS & RECEIPT PRODUCT NAME POLICY HOLDER NAME POLICY START START ADDRESS OF ADDRESS DWELLING TYPE DWELLING TYPE DWELLING USE DWELLING USE FEATURES PROPERTY FEAT EXTRA COVERAGE EXTRA COVERAC DEDUCTIBLE DEDUCTIBLE INSURED VALUE INSURED VALUE INSURANCE PREMIUM PREMI	POLICY DETAILS & RECEIPT PRODUCT NAME POLICY N POLICY HOLDER NAME POLICY START START RENEW ADDRESS OF PROPERTY ADDRESS DWELLING TYPE DWELLING TYPE DWELLING USE DWELLING USE FEATURES PROPERTY FEATURE EXTRA COVERAGE EXTRA COVERAGE ITEM	POLICY DETAILS & RECEIPT PRODUCT NAME POLICY HOLDER NAME POLICY START START RENEWAL DUE ADDRESS OF PROPERTY DWELLING TYPE DWELLING TYPE DWELLING USE DWELLING USE FEATURES PROPERTY FEATURE EXTRA COVERAGE EXTRA COVERAGE ITEM DEDUCTIBLE DEDUCTIBLE INSURED VALUE INSURED VALUE INSURANCE PREMIUM PREMIUM RECEIPT NUMBER AUTH. NBR

FIG. 28

Please type a plus sign (+) inside Under the Paperwork Redia yalld OMB control number	uction Ac		Patent and Tradem	ark Office:	U.S. DE	ough 9/30/00. Of	COMMERC	ė =
			Attorney Dock	et Num	ber	NPA064U	s	
DECLARATION F		JTILITY OR	First Named In	ventor		KIA SILV	ERBROO	K
PATENT AP		ΔΤΙΟΝ	С	OMPLE	TE IF	KNOWN		
(37 CFI			Application Nu	mber		/		
` _			Filing Date					
Declaration Submitted OR		nitted after Initia	Group Art Unit					
with Initial Filing		(surcharge FR 1.16 (e)) red)	Examiner Nam					
As a betow named invent My residence, post office a I believe I am the original, I believe I am the original to the original that specification of which I attached hereby O as Ried on (MUD) Application Number I hereby state that I have re amended by any amendment I acknowledge the duty to d I hereby claim foreign priori continicate, or 305(a) of any America, isolet believe and his or of any PAT internationals.	ddress, a dirst and s the subject of	and citizenship are a cole inventor (if only or matter which is of SYSTEM FOR (Title and was not understand the cally referred to abortormation which is not understand application or sunders).	one name is listed belowing and and for which a rate PROVIDING IN of the Invention) as una s amended on (MM/DD ordents of the above id- ve. haterial to patentability if 119(a)-(d) or 355(b) of which designated at r	w) or an or patent is so ISURAN ited States YYYY) = antified spe as defined any foreign east one in	Application in 37 CF	tion Number or F in, including the c FR 1.56. cation(s) for pate other than the U or patent or	CT Internation (if applications, as	ble).
Prior Foreign Application Number(s)		Country	Foreign Filing Date (MM/DD/YYYY)		ority laimed	Certified Co YES	py Attached NO	1?
PQ3632 PQ4912	PQ3632 Australia 10-25-2000 🗆 🖫							
Additional foreign applica	ation num	bers are listed on a	supplemental priority da	ata sheet F	TO/SB/	02B attached her	reto:	
I hereby claim the benefit to	inder 35	U.S.C. 119(e) of any	United States provision	nal applica	tion(s) Ir	sted below.		_
Application Number	(s)	Filing Date	(MM/DD/YYYY)		numb suppl	ional provisiona ers are listed o emental priority SB/02B attach	n a y data shee	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form about does sent to the Cheef Information Officer, Patent and Trademark Office, Washington, D.C 20231. DO NOT SEND PEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box -

us sign (+) inside this box

Peisent and Trademark Office; U.S. DEPARTMENT OF COMMENCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it comments
a valid OMB control number.

DECLARATION -	Litility or	Decian	Datent	Annlication
DECLARATION —	· Ullilly Of	Desidii	ratent	ADDIICALIOII

				_										
Jnited States of Jnited States of Information whi	neceby claim the benefit under 35 U.S.C. 120 of any United States application (s), or 355(s) of any PCT international application agriculture of the claims of the supplication of the control of the claims of the supplication and or disclosed in the profit mass States of PCT international application is explained in the profit mass States of PCT international Bigging and the supplication is not disclosed in the profit mass States of PCT international Bigging and the supplication and the supplication and the supplication and the supplication and the national or PCT international Bigging date of this application.													
U.:	6. Pare	nt Applicatio Numbe		PCT	Parent				ling Date		Parent Patent Number (if applicable)			
		CT international a												
s a named inv	entor, I he	reby appoint the	followi	ng regi:	stered p	ractitioner(to p	rosecute	this applicatio	n and to	transa	ct all business i	n the Patent	
nu irademark	OHICE COL	nnected therewith		OR			name	/registrat	ion number lis	ted belo	<u>"</u> L	Number Bar Label her	Code	
	Name			.,		tration			Nam				tration mber	
	. Tunn				110.									
Additional	egistered	practitioner(s) na	med o	n suppi	lementa	Registere	d Prac	titioner In	nformation she	et PTO	SB/020	attached here	ito.	
		nce to: 🗷 C	ustom		mber	2401						ondence add		
Name	Kia Si	lverbrook												
Address	Silver	brook Resear	ch P	ty Ltd										
Address	393 E	arling Street					_							
City	Balme	ain		_			s	tate	NSW	ZIP	204	<u>'</u>		
Country	Austr	alia		Te	elepho	ne 61-2-	9818	3-6633		Fax	61-2	1-2-9818-6711		
believed to be ounishable by	true; and fine or in	statements mad further that the prisonment, or b issued thereon.	te state	ements	were n	nade with t	the kn	owiedce.	that willful fa	ise state	ements	and the like s	o made are	
Name of S	ole or F	irst Inventor						A petitio	on has been	filed fo	rthis u	ınsigned inve	ntor	
G	ven Nar	ne (first and mi	ddle [it	f anyl)					Family	v Name	or Su	mame		
	KIA								SILV	ERBI	ROOK			
Inventor's Signature		1/1	J	\subset								Date	Oct. 18, 2000	
Residence:	City	Balmain			State	NSW		Country	Australi	ia		Citizenship	Australian	
Post Office A	ddress	393 Darling	Stre	et										
Post Office A	ddress													
City		Balmain	State	NS	w	ZIF	. [2041		Cou	intry	Australi	а	
E Additions	invento	re are being no	med c	n the	1 0	ınnlemeni	al Ad	ditional	Inventor(s)	sheet(s	PTO	SB/02A attac	ched hereto	

Please type a plus sign (+) inside this box -> +

sign (+) inside this box > TOUSBIGZA (3-97)

Approved for use through 9/9998. OMB 0551-0922

Patient and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Page-envolk Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1_ of 1_

lame of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor											
		1	Family Name or Sumame								
	ne (first and middle [if any])			-							
J.	JACQUELINE ANNE LAPSTUN Oct. 18.								0 1 10		
Inventor's Signature	Major	_						_	Da		2000
Residence: City	Rodd Point	State	NSV	v	Cou	ntry	Australia		Citize	nship	Australian
Post Office Address	13 Duke Avenue										
Post Office Address			_						_		
City	Rodd Point	State	NSV	V	ZII	Р	2046	Count	y AL	stralia	
Name of Addition	nal Joint Inventor, if any	:			AF	etition	n has been file	d for t	his uns	igned in	ventor
Given Nar	me (first and middle [if any])			_			Family Na	ne or	Suman	ne	
	PAUL				,		LAPS	TUN			
Inventor's Signature	Pa	n	(/	1					Date	Oct. 18, 2000
Residence: City	Rodd Point	State	NSV	v	Country Australia				Citi	zenship	Norwegian
Post Office Address	13 Duke Avenue										
Post Office Address		,			_						
City	Rodd Point	State	NS	w		ZIP	2046	Cot	intry	Austi	ralia
Name of Addition	nal Joint Inventor, if any	<i>r</i> :		Е] A [petitio	n has been file	ed for	this uns	signed in	ventor
Given Na	me (first and middle [if any])						Family Na	me or	Sumar	ne	
				-							
Inventor's Signature			_							Date	
Residence: City		State			co	untry			Сн	izenship	
Post Office Address											
Post Office Address					_			_			
City		State				ZIP			Countr	у	

Burden Hour Statement. This form is estimated to the 2.4 hours to complete. The will keep temperature the property of the prop